

Notes

This detail assumes that the structure is in good condition - constructed to BS EN 1992 (Eurocode 2), and that the structure as a whole is of sufficient mass and quality to resist heads of water pressure as required by BS8102.

DO NOT SCALE

- A. For a rubble wall a stainless steel EML is plugged and screw fixed at 150mm centres to the random rubble wall and rendered to provide a suitably stable substrate to accept the Newton HydroCoat System.
- Newton HydroCoat 908-LB smoothing coat Render 3 parts sand, one part cement,
- Newton HydroCoat System applied to walls to 1.2m above external ground level or to a viable DPC. Internal 'Type A' membranes are often the products that are referred to when people talk about the process of "tanking" a basement to protect it from water. Waterproofing barrier membranes that can be applied to the internal 'negative' side of the structure include a variety of liquid-applied membranes or slurries that can be installed either by spray machine, trowel. brush, or by roller directly onto the internal wall surface.
- D. Newton HydroCoat 903 Primer is a modified styrene/acrylic copolymer primer.

All construction joints (day joints, shrinkage joints, movement joints etc) should be waterproofed with Newton HydroTank System waterbars to limit water ingress thorough joints in the structure.

Please note, this detail will only accommodate minor movement between wall and raft.

If a vapour barrier is required please refer to the Newton Technical Department.

This detail is intended as guidance only and provides an understanding of how the products and systems can be configured as part of a waterproofing strategy; and should not be understood as being the project waterproofing design or that Newton are fulfilling the role as appointed waterproofing designer as recommended by BS 8102:2022.

Newton or our delivery partners can fulfil the appointed role of waterproofing designer. Please speak to our Technical Team for further information.

designer. We recommend that Newtons' waterproofing systems are installed by our NSBC registered contractors who can offer insurance backed quarantees and accept liability for both the design and installation of our systems. Please refer to product data sheets before installation of our products.

Internal wa



© Newton Waterproofing Systems (a trading name of John Newton & Co. Ltd.)

Newton House, 17 - 20 Sovereign Way, Tonbridge, Kent, TN9 1RH, T: 01732 360 095 Unit 6b, Gibralter Island Road, Old mill Businiess Park, Leeds, LS10 1RJ, T: 0113 521 6777

W: www.newtonwaterproofing.co.uk E: tech@newtonwaterproofing.co.uk

Newton HydroCoat Detail

| aterproofing of Existing Structure | Revision | |
|------------------------------------|----------|--|
| | Dete | |

| _ | | | | | | |
|---|-----------|------------|----------|------|--|--|
| | Reference | JN-HC-06A | Designed | DGB | | |
| | Revision | В | Drawn | AJG | | |
| | Date | 26/09/2023 | Checked | DB/T | | |